

**To:** CN=Dominic Digiulio/OU=ADA/O=USEPA/C=US@EPA;CN=Rick Wilkin/OU=ADA/O=USEPA/C=US@EPA[]; N=Rick Wilkin/OU=ADA/O=USEPA/C=US@EPA[]  
**Cc:** []  
**Bcc:** []  
**From:** CN=Gregory Oberley/OU=R8/O=USEPA/C=US  
**Sent:** Thur 6/14/2012 3:46:35 PM  
**Subject:** Fw: memos re DRO in Phase 2

I haven't looked at these yet but they should be what you're looking for.

Gregory Oberley  
Aquifer Protection Team  
US EPA Region VIII (EP-EPR)  
1595 Wynkoop Street  
Denver, Colorado 80202

303-312-7043

----- Forwarded by Gregory Oberley/R8/USEPA/US on 06/14/2012 09:46 AM -----

**From:** Robert Parker/R8/USEPA/US  
**To:** Gregory Oberley/R8/USEPA/US@EPA  
**Date:** 06/13/2012 04:32 PM  
**Subject:** memos re DRO in Phase 2

Greg,

per your request, here are the memos that discuss the DRO blank issue in Phase 2.

DRO Overlays for chromatogram review

[attachment "DRO Overlays with Field Blank, Sample, and Lab Blank.pdf" deleted by Rick Wilkin/ADA/USEPA/US]

Memo from Jesse Kiernan to me (which I've turned into a PDF)  
[attachment "Pavillion BPA memo.docx" deleted by Rick Wilkin/ADA/USEPA/US] [attachment "Pavillion DRO Field Blank memo.pdf" deleted by Rick Wilkin/ADA/USEPA/US]

A memo from me to ATSDR discussing blank contamination  
[attachment "Blank Contamination Memo.pdf" deleted by Rick Wilkin/ADA/USEPA/US]

Rob Parker  
Site Assessment Manager, Environmental Engineer  
U.S. Environmental Protection Agency, Region 8  
Address: 1595 Wynkoop St, 8EPR-SA, Denver, Colorado 80202-1129  
Email: parker.robert@epa.gov | Direct Phone: (303) 312-6664